



Server Rack

STANDARD SPECIFICATION

- ANSI/EIA RS-310-D
- IEC60297-3-100
- DIN41494:PART1
- DIN41494:PART7
- GB/T3047.2-92:ETSI



PRODUCT
INFORMATION

Product Features

- Removable side panels, easy to install and maintain
- Optional Metal cable management
- Adjustable depth of installation
- Comply with UL, ROHS certifications



No need
welding



High Ventilation
Rate



Vented
door

Description

The Commq Server Rack is a high-quality, durable, and modular solution designed to meet the demanding requirements of modern data centers, server rooms, and IT environments. Engineered with precision and built from heavy-duty steel, the rack provides maximum strength, efficient airflow, and flexible cable management to ensure optimal performance and reliability for mission-critical applications.

Accessories & Features

| | |
|--------------------|---|
| Doors | 1 front door 2 rear doors Incl. keys |
| Doors | Reversible front door (left / right) 180 degrees opening angled |
| Roof | 6 brush cable access & 2 high voltage cable access |
| Bottom section | Leveling feet Pre-installed casters |
| Provided equipment | Mounting hardware 2 rear vertical 0U Baying hardware (screws & cage nuts) |
| Join the cabinets | Cabinets can be joined side-to-side, with or without side panels |

Product description

| | |
|---------------------|---|
| Materials | SPCC Cold rolled steel |
| Thickness (mm) | Mounting profile- 2.0 Side panel- 1.5 Others- 1.2 |
| Width (mm) | 600, 800 |
| Depth (mm) | 800,1000, 1200 |
| Number of rack unit | 38U, 42U, 44U, 48U |
| Color | RAL9011 Black |

Part Numbers

| | |
|---------|----------------------|
| QR1488B | 42U 800*800 Cabinet |
| QR1480B | 42U 800*1000 Cabinet |
| QR1482B | 42U 800*1200 Cabinet |
| QR1680B | 48U 800*1000 Cabinet |
| QR1682B | 48U 800*1200 Cabinet |