

Wall-Mounted Cabinets



STANDARD SPECIFICATION

- ANSI/EIA RS-310-D
 - DIN41494:PART1
- IEC60297-3-100
 - DIN41494:PART7

PRODUCT INFORMATION

Product Features


- Removable side panels, easy to install and maintain
- Optional Metal cable management
- Adjustable depth of installation
- Comply with UL, ROHS certifications

70KG

Static loading

High quality

Cabinets Assembly Drawing



Main Parts:

- 1.Top cover

2.Bottom panel

3.Left & Right frame

4.Mounting profile

5.Side panel

6.Rear panel
7. L rail (optional)

8. Toughened glass front door

9. Toughened glass front door with slanted slot door border

10. Toughened glass front door with hole arc door border

11. Hexagonal reticular high density vented plate door

12. perforated steel door

Materials	Structure	Static Loading Capacity
SPCC cold rolled steel	Welded frame	70KG

Thickness	Surface Finish	LOCK
Mounting profile 1.5mm Others 1.2mm Side panel 1.0mm	Degreasing, Silanization, Electrostatic Spraying	Small round lock

Product description

Materials	SPCC Cold rolled steel
Model Series	Wall Mounted Cabinet
Width (mm)	600, 540
Depth (mm)	450, 500, 550, 600
Number of rack unit	6U, 10U, 12U, 15U, 16U, 20U,
Color	Black
Thinckness (mm)	Mounting profile- 1.5 Side panel- 1.0 others- 1.2

Part Numbers

P/N	Description
QR2654B	6U 540*400 Cabinet
QR2655B	6U 540*500 Cabinet
QR2656B	6U 540*600 Cabinet
QR2665B	6U 600*450 Cabinet
QR2666B	6U 600*600 Cabinet
QR2155B	10U 540*500 Cabinet
QR2156B	10U 540*600 Cabinet
QR2165B	12U 600*450 Cabinet
QR2166B	12U 600*600 Cabinet
QR2555B	15U 540*500 Cabinet
QR2756B	16U 540*600 Cabinet
QR2256B	20U 540*600 Cabinet
QR2565B	25U 540*500 Cabinet
QR2566B	25U 540*600 Cabinet