
commq
DATA CENTER SOLUTIONS

Server Rack

QR7844VN



Up to 1200kg — Static Loading

Up to 800kg — Dynamic Loading

>75% — High Ventilation Rate

Vented door

PRODUCT INFORMATION **Product Features**

- Removable side panels, easy to install and maintain
- Optional Metal cable management
- Adjustable depth of installation
- Comply with ROHS certifications

STANDARD SPECIFICATION

- ANSI/EIA RS-310-D
- IEC60297-3-100
- DIN41494:PART1
- DIN41494:PART7
- GB/T3047.2-92:ETSI

Decription


The Commq Server Rack is a high-quality, durable, and modular solution designed to meet the demanding requirements of modern data centers, server rooms, and IT environments. Engineered with precision and built from heavy-duty steel, this rack provides maximum strength, superior ergonomics, and is fully compatible with all server and switches types, ensuring efficient airflow, and flexible cable management to optimize performance and reliability for mission-critical applications.

Accessories & Features

Doors	1 front door, 2 rear doors Incl. keys optional- 2 front doors
Doors	Reversable front door (left / right) 180 degrees opening angled
Roof	2 brush cable access
Bottom section	Leveling feet Pre-installed casters
Provided equipment	Baying hardwer (screws & cage nuts) Zero U accessories available on demand Vertical Cable Manager with Doors
Join the cabinets	Cabinets can be joined side-to-side, with or without side panels

Product description

Materials	SPCC Cold rolled steel
Thinckness (mm)	Mounting rails- 2.0 Side panel- 1.2 Others- 1.2 Body- 1.5
Width (mm)	750
Depth (mm)	800
Number of rack unit	44U
Color	RAL 9005 RAL 7035- optional by request
Warranty (in months)	60



Product assembly key:

1. Top cover
2. Fan tray
3. Side panel
4. Rail
5. Frame
6. Front door
7. Fixed shelf
8. Heavy duty wheel
9. Bottom
10. Castor with brake
11. Backdoor
12. Beam
13. Spacer
14. Principal coil