commq
DATA CENTER SOLUTIONS



Wall-Mounted Cabinet

QR5506

Up to 50kg
Static Loading

High Quality

PRODUCT INFORMATION **Product Features**

- Removable side panels, easy to install and maintain
- Optional Metal cable management
- Adjustable depth of installation
- Comply with ROHS certifications



STANDARD SPECIFICATION

• ANSI/EIA RS-310-D	• IEC60297-3-100
• DIN41494:PART1	• DIN41494:PART7

Decription

The Commq high-performance 19-inch wall-mount networkenclosure, constructed from heavy-duty steel with fully removable side panels and a lockable perforated steel door with an option for a tempered glass door, is engineered for optimal equipment organization, efficient airflow, and streamlined cable management, while supporting an optional castor kit for conversion to a floor-standing unit.


Product description

Materials	SPCC Cold rolled steel
Model Series	Wall Mounted Cabinet
Width (mm)	540
Depth (mm)	500
Number of rack unit	6U
Color	RAL 9005 RAL 7035- optional by request

Product description


Frame (mm)	1.0
Side Panels (mm)	1.0
Front Door (mm)	5.0
Rail	1.5
Warranty (in months)	36

Cabinets Assembly Drawing




Product assembly key:


1.Frame
2.Side panel
3. Front door
4.Rail
5.Flange nut M5
6.Crosscrew M5x12
7. Adjustable feet
8.Lock




Side(Without side panel)



Top



Side with panel



Section K-K

by RIL Eco Systems

Image for illustration purposes only